

PCT

INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference P-37071	FOR FURTHER ACTION see Notification of Transmittal of International Search Report (Form PCT/ISA/220) as well as, where applicable, item 5 below.	
International application No. PCT/JP 01/01314	International filing date (day/month/year) 22/02/2001	(Earliest) Priority Date (day/month/year) 24/02/2000
Applicant MATSUSHITA ELECTRIC INDUSTRIAL CO., LTD.		

This International Search Report has been prepared by this International Searching Authority and is transmitted to the applicant according to Article 18. A copy is being transmitted to the International Bureau.

This International Search Report consists of a total of 3 sheets.
☒ It is also accompanied by a copy of each prior art document cited in this report.

1. Basis of the report

- a. With regard to the **language**, the international search was carried out on the basis of the international application in the language in which it was filed, unless otherwise indicated under this item.
- ☐ the international search was carried out on the basis of a translation of the international application furnished to this Authority (Rule 23.1(b)).
- b. With regard to any **nucleotide and/or amino acid sequence** disclosed in the international application, the international search was carried out on the basis of the sequence listing :
- ☐ contained in the international application in written form.
- ☐ filed together with the international application in computer readable form.
- ☐ furnished subsequently to this Authority in written form.
- ☐ furnished subsequently to this Authority in computer readable form.
- ☐ the statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.
- ☐ the statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished

2. ☐ **Certain claims were found unsearchable** (See Box I).

3. ☐ **Unity of invention is lacking** (see Box II).

4. With regard to the **title**,

- ☒ the text is approved as submitted by the applicant.
- ☐ the text has been established by this Authority to read as follows:

5. With regard to the **abstract**,

- ☒ the text is approved as submitted by the applicant.
- ☐ the text has been established, according to Rule 38.2(b), by this Authority as it appears in Box III. The applicant may, within one month from the date of mailing of this international search report, submit comments to this Authority.

6. The figure of the **drawings** to be published with the abstract is Figure No.

- ☒ as suggested by the applicant.
- ☐ because the applicant failed to suggest a figure.
- ☐ because this figure better characterizes the invention.
- 1 ☐ None of the figures.

INTERNATIONAL SEARCH REPORT

International Application No

PCT/JP 01/01314

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 G06F17/30

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 7 G06F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0 949 571 A (XEROX CORP) 13 October 1999 (1999-10-13) page 3, line 9-19 page 5, line 11 -page 6, line 47 page 7, line 12-34 page 7, line 30-34	1-8
A	MA WEI-YING ET AL: "Framework for adaptive content delivery in heterogeneous network environments" HEWLETT PACKARD LABORATORIES, 24 January 2000 (2000-01-24), XP002168331 page 2, paragraph 3.0 -page 4, paragraph 4.0 page 7, paragraph 7.3 -page 8, paragraph 7.5 --- -/--	1-8

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *&* document member of the same patent family

Date of the actual completion of the international search

18 February 2002

Date of mailing of the international search report

25/02/2002

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Correia Martins, F

INTERNATIONAL SEARCH REPORT

International Application No.

PCT/JP 01/01314

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>EP 0 967 556 A (HEWLETT PACKARD CO) 29 December 1999 (1999-12-29) column 3, line 3-32 column 4, line 21 -column 5, line 22 -----</p>	1-8

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/JP 01/01314

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 0949571	A	13-10-1999	EP 0949571 A2	13-10-1999
			JP 2000076473 A	14-03-2000
EP 0967556	A	29-12-1999	EP 0967556 A2	29-12-1999
			JP 2000092424 A	31-03-2000

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
30 August 2001 (30.08.2001)

PCT

(10) International Publication Number
WO 01/63388 A2

(51) International Patent Classification?: **G06F 3/00**

[JP/JP]; 7-16-210, Seishin 2-chome, Sagamihara-shi, Kanagawa 229-1116 (JP).

(21) International Application Number: PCT/JP01/01314

(22) International Filing Date: 22 February 2001 (22.02.2001)

(74) Agents: **OGURI, Shohei** et al.; Eikoh Patent Office, 28th Floor, ARK Mori Building, 12-32, Akasaka 1-chome, Minato-ku, Tokyo 107-6028 (JP).

(25) Filing Language: English

(81) Designated States (*national*): AU, CN, CZ, KR, US.

(26) Publication Language: English

(30) Priority Data:
2000-047505 24 February 2000 (24.02.2000) JP

(84) Designated States (*regional*): European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR).

(71) Applicant (*for all designated States except US*): **MAT-SUSHITA ELECTRIC INDUSTRIAL CO., LTD.** [JP/JP]; 1006, Oaza Kadoma, Kadamo-shi, Osaka 571-0050 (JP).

Published:


— without international search report and to be republished upon receipt of that report

(72) Inventor; and

(75) Inventor/Applicant (*for US only*): **WADA, Akihiko**

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: IMAGE DISPLAY METHOD AND PORTABLE TERMINAL FOR DISPLAYING SELECTED IMAGE



(57) Abstract: An image display method for displaying description data having text information and image information described in a predetermined description format. The image display method comprises the steps of extracting attribute values indicating attributes for specifying the image information from the description data (106), listing the extracted attribute values (108, 109), selecting at least one attribute value from among the listed attribute values (111), reading the image information specified by the selected attribute value (112), and displaying the image information (113).

WO 01/63388 A2

DESCRIPTION**IMAGE DISPLAY METHOD AND PORTABLE TERMINAL
FOR DISPLAYING SELECTED IMAGE**

5

Technical Field

This invention relates to display of description data of a web page specified with a URL (Uniform Resource Locator) and in particular to an image selection and display method for selecting and displaying any desired image as required and a portable terminal for displaying an image using the method.

Background Art

In recent years, the following service has been known:

15 A WWW (World Wide Web) browser function is installed in a portable telephone for viewing various pieces of information described in a format of HTML (Hyper Text Markup Language), etc., existing in WWW servers. The data handled in WWW includes not only text, but also inline images linked in web pages and

20 displayed inline by the WWW browser. Each web page made up of such data assumes that it is displayed by a standard WWW browser installed in a PC (personal computer), and contains a large amount of text and image data.

On the other hand, a simplified browser whose function

25 is limited is installed in a portable telephone and memory and

physical screen limits are involved in the portable telephone and therefore it is difficult to provide a display form similar to that using a PC. Thus, to display a web page on a portable telephone, an image is not displayed or if an image is displayed, the display area is reduced for displaying the image (scaled-down display) or a part of the image is displayed (partial display), so that the viewability of text information displayed on the screen of the portable telephone is not impaired.

10 However, even with portable telephones, the demand for aggressively displaying a web page image is strong; in this case, how the image can be displayed efficiently without sacrificing text information, etc., on the limited screen is essential. Further, with a terminal capable of displaying a color image, importance of images is high and it is desired that image information should be effectively displayed and utilized like text information.

Disclosure of Invention

20 It is therefore an object of the invention to provide an image display method for enabling the user to display any desired image as required. It is also an object of the invention to provide a portable terminal capable of displaying an image effectively even if the portable terminal is a portable terminal such as a portable telephone having a physically limited screen

25

size.

According to first aspect of the invention, there is provided an image display method for displaying description data having text information and image information described in a predetermined description format, the image display method comprising the steps of extracting attribute values indicating attributes for specifying the image information from the description data, listing the extracted attribute values, selecting at least one attribute value from among the listed attribute values, and reading and displaying the image information specified by the selected attribute value.

The attribute values indicating the attributes for specifying the image data forming the description data are listed, any desired attribute value is selected from among the listed attribute values, and the image corresponding to the selected attribute value is displayed, so that the user can selectively display any desired image as required.

In the image display method, preferably, the step of listing the extracted attribute values lists alternative character strings to images inline displayed in the description data.

The alternative character strings to the images (indicating the image contents) are listed, whereby the image contents can be recognized by referencing the listing.

In the image display method, preferably, the step of

listing the extracted attribute values lists file names indicating the locations of images inline displayed in the description data.

5 The file names indicating the locations of the images are listed, whereby when listing the alternative character strings is not adequate or is impossible, the locations of the images can also be recognized.

10 The image display method, preferably, further comprises the steps of selecting a format of images inline displayed in the description data based on the attribute values and listing images in the selected file format.

The attribute values can be referenced for determining the image format, so that any desired image can be selected and displayed from among still images, moving images, etc.

15 According to second aspect of the invention, a portable terminal comprising a display section for displaying description data having text information and image information described in a predetermined description format, and image selection and display means for extracting attribute values
20 indicating attributes for specifying the image information from the description data, listing the extracted attribute values, selecting at least one attribute value from among the listed attribute values, reading the image information specified by the selected attribute value, and displaying the image
25 information on the display section.

The attribute values indicating the attributes for specifying the image data forming the description data are listed, any desired attribute value is selected from among the listed attribute values, and the image corresponding to the selected attribute value is displayed on the display section of the portable terminal, whereby it is made possible to separate text and an image for display. Thus, even with a terminal having a limited screen size, an image can be displayed effectively without impairing text information.

In the portable terminal, preferably, the attribute values are alternative character strings to images inline displayed in the description data.

The alternative character strings to the images (indicating the image contents) are listed, whereby the image contents can be recognized by referencing the listing and any desired image can be selected and displayed on the display section of the portable terminal.

In the portable terminal, preferably, the attribute values are file names indicating the locations of images inline displayed in the description data.

The file names indicating the locations of the images are listed, whereby when listing the alternative character strings is not adequate or is impossible, the locations of the images can also be recognized and any desired image can be selected and displayed on the display section of the portable terminal.

In the portable terminal, preferably, further a format of images inline displayed in the description data is selected based on the attribute values, images in the selected file format are listed, and an image in any desired format is
5 displayed on the display section.

The attribute values can be referenced for determining the image format, so that any desired image can be selected from among still images, moving images, etc., and can be displayed on the display section of the portable terminal.

10

Brief Description of Drawings

In the accompanying drawings:

FIG. 1 is a flowchart of an image selection and display method according to an embodiment of the invention;

15 FIG. 2 is a drawing to show description files describing web pages;

FIG. 3 is a drawing to show an image selection list for selecting an image out of description data; and

20 FIG. 4 is a drawing to show how the image selected out of the image selection list is displayed on a display section of a portable terminal.

Best Mode for Carrying Out the Invention

Image data related to image display of the invention will
25 be discussed, followed by a description of an embodiment of the

invention. A WWW browser for displaying a web page accesses the WWW server specified with a URL through the Internet or an intranet in a WWW service client, reads the description data of a web page described in a predetermined format such as HTML
5 in page units, and processes the data for display, then displays the contents of the web page on a screen.

To display an image on a web page in HTML, the image attribute is described in the place where the image is to be linked in the description data of the web page in the following
10 format using an inline image tag IMG:

```
<IMG SRC="URL of image file" ALT="alternative character  
string">
```

In the image description with the image tag IMG, the description with SRC is called SRC attribute, the description
15 with ALT is called ALT attribute, and "URL of image file" and "alternative character string" are called attribute values. The SRC attribute specifies the URL (location) of the image file in which the image data to be displayed is stored. The URL of the image file is made up of a file name indicating the location
20 of the image file and an extension indicating the format of the file. The ALT attribute enables alternative display of an image to show the image contents in a WWW browser incapable of displaying an image or a WWW browser wherein image display is limited. The alternative character string is represented so
25 that the image contents can be identified without recognizing

the image.

In the current HTML, the IMG element for specifying an inline image comprises attributes representing the image display position, etc., as well as the SRC attribute and the ALT attribute; further various attributes can also be supported as the HTML function is extended. Therefore, it is to be understood by those skilled in the art that as attributes are added, the attributes are listed and an image is selected.

Referring now to the accompanying drawings, there is shown a preferred embodiment of the invention.

FIG. 1 is a flowchart of an image display method to show an embodiment of the invention. Steps 101 to 113 shown in FIG. 1 indicate an image selection and display method executed when an image selection and display menu function (image selection and display means) 100 installed in a portable machine is started.

In FIG. 1, at step 101, the description data of a web page read by a WWW browser is scanned and at step 102, whether or not the description data is inline image description is determined. The description data is determined inline image description by detecting an inline image tag IMG in HTML description data. If the description data is determined inline image description, attribute description forming the inline image tag, namely, an SRC attribute (SRC="URL of image file") and an ALT attribute (ALT="alternative character string") are

extracted and steps 103 to 109 are executed.

At step 103, if the same image is described repeatedly in the description data of the web page, "URL of image file" is compared and processing is skipped for already extracted
5 image description, whereby duplicate extraction of listed attributes values can be avoided.

At step 104, if the attribute value of the ALT attribute is set to a specific value, such as an asterisk (*), for an image not necessarily important, the "alternative character string"
10 is compared with a specific value, whereby the image description can be placed out of the listing. For example, to describe a hyperlink using an anchor tag, an image may be used as simple display.

At step 105, if the file format of the image file name
15 described in the SRC attribute indicates a specific file format, it is determined that the image description is to be placed in the listing; if the file format indicates any other file format, it is determined that the image description is to be placed out of the listing. In the image formats of images described on
20 web pages, the images that can be displayed on the current portable telephones are limited to still images only in a file format gif because of terminal hardware and software restrictions. The gif format is specified as the specific file format, whereby only images fitted to image display can be
25 selected.

If it is determined through the steps that the image description is to be placed in the listing, control goes to step S106 and the SRC attribute and the ALT attribute of the image description are extracted and are written into an extraction
5 list. The format and description of the extraction list may be arbitrary in response to the whole processing; the extraction list is used for duplicate detection of the attribute values at step 103 and processing for reading the image selected at step 112.

10 At step 107, whether or not the extracted image description contains the ALT attribute, namely, description of "alternative character string" is determined. If it contains description of "alternative character string," control goes to
15 step 108 and the alternative character string is added to listing on a screen (see FIG. 2). If the extracted image description does not contain description of "alternative character string," control goes to step 109 and the "image file name" described in the SRC attribute is added to listing on a screen (see FIG. 2).

20 When it is determined at step 110 that web page scanning terminates, all attribute values of the image descriptions extracted are listed on the screen (see FIG. 3). At step 111, the user of the portable terminal such as a portable telephone selects an arbitrary item from among the items indicating the
25 attribute values of the images listed, and selects the image

to be displayed. When one item is selected from among the listed items, control goes to step 112 and the information written into the extraction list is referenced for the image described by the attribute values of the selected item and the image data is read. At step 113, an image is drawn using the image data and is displayed on the full screen. FIG. 4 shows a case wherein "CHARACTER STRING 3" is selected out of the image selection list shown in FIG. 3 and the image of "CHARACTER STRING 3" is displayed on the screen.

10 When a web page is read, if text data and image data are read in batch and are stored in memory installed in the portable telephone, the memory is referenced and image is input. On the other hand, if image data of a web page is skipped and only text data is stored in memory installed in the portable telephone, 15 the WWW server is referenced and image is input. One image corresponding to one item written into the extraction list is displayed on a full screen and in addition, two or more items may be selected out of the extraction list and two or more images corresponding to the two or more items may be displayed in split 20 areas of the screen.

In the processing of the embodiment described above, the image files whose file format is gif are selected. However, as the performance of a display screen of a portable terminal is enhanced continuously and the internal memory capacity is 25 extended constantly, there is a possibility that it will be made

possible to also display a still image in any other file format.
A technique of displaying images in the gif format one after
another, thereby showing motion like an animation is available
at present; there is a possibility that it will be made possible
5 to also display a moving image in any other format described
on a web page in the near term.

In such a case, a function of specifying an image file
format may be provided for selecting the type of image to be
displayed. For example, the following processing is possible:
10 A menu function is provided with a file specifying menu and is
set so as to extract moving image description in a specific
format from description files of web pages using the file
specifying menu and the attribute values are listed on a screen.

In the embodiment described above, the portable telephone
15 is taken as an example of the portable terminal, but the
invention can also be applied to an information terminal with
a small image display area. Even to a terminal with an unlimited
screen size, to separate text information and image information
for display as required, for example, to display text
20 information taking precedence over image information, the
invention can also be applied.

Industrial Applicability

As described above, according to the image display method,
25 the attribute values indicating the attributes for specifying

the image data forming the description data are listed, any desired attribute value is selected from among the listed attribute values, and the image corresponding to the selected attribute value is displayed, so that the user can selectively
5 display any desired image as required.

According to the portable terminal, the attribute values indicating the attributes for specifying the image data forming the description data are listed, any desired attribute value is selected from among the listed attribute values, and the
10 image corresponding to the selected attribute value is displayed on the display section of the portable terminal, whereby it is made possible to separate text and an image for display. Thus, even with a terminal having a limited screen size, an image can be displayed effectively without impairing
15 text information.

CLAIMS

1. An image display method for displaying description data having text information and image information described in a predetermined description format, said image display method comprising the steps of:

extracting attribute values indicating attributes for specifying the image information from the description data;

listing the extracted attribute values;

selecting at least one attribute value from among the listed attribute values; and

reading and displaying the image information specified by the selected attribute value.

2. The image display method as claimed in claim 1 wherein said step of listing the extracted attribute values lists alternative character strings to images inline displayed in the description data.

3. The image display method as claimed in claim 1 wherein said step of listing the extracted attribute values lists file names indicating locations of images inline displayed in the description data.

4. The image display method as claimed in claim 3 further comprising the steps of selecting a format of images inline displayed in the description data based on the attribute values and listing images in the selected file format.

5. A portable terminal comprising:

a display section for displaying description data having text information and image information described in a predetermined description format;

5 image selection and display means for extracting attribute values indicating attributes for specifying the image information from the description data, listing the extracted attribute values, selecting at least one attribute value from among the listed attribute values, reading the image
10 information specified by the selected attribute value, and displaying the image information on the display section.

6. The portable terminal as claimed in claim 5 wherein the attribute values are alternative character strings to images inline displayed in the description data.

15 7. The portable terminal as claimed in claim 5 wherein the attribute values are file names indicating locations of images inline displayed in the description data.

8. The portable terminal as claimed in claim 7 wherein further a format of images inline displayed in the description
20 data is selected based on the attribute values, images in the selected file format are listed, and an image in any desired format is displayed on the display section.

FIG. 1





FIG. 2

DESCRIPTION FILE	⋮
IMG SRC = "IMAGE FILE 1" ALT = "CHARACTER STRING 1"	
IMG SRC = "IMAGE FILE 2" ALT = " "	
IMG SRC = "IMAGE FILE 3" ALT = "CHARACTER STRING 3"	
IMG SRC = "IMAGE FILE 4" ALT = "CHARACTER STRING 4"	
	⋮

FIG. 3

IMAGE SELECTION LIST	
1	CHARACTER STRING 1
2	IMAGE FILE 2
3	CHARACTER STRING 3
4	CHARACTER STRING 4



10/980739

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau(43) International Publication Date
30 August 2001 (30.08.2001)

PCT

(10) International Publication Number
WO 01/63388 A3(51) International Patent Classification?: **G06F 17/30**

[JP/JP]; 7-16-210, Seishin 2-chome. Sagamihara-shi, Kanagawa 229-1116 (JP).

(21) International Application Number: **PCT/JP01/01314**

(22) International Filing Date: 22 February 2001 (22.02.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
2000-047505 24 February 2000 (24.02.2000) JP(71) Applicant (for all designated States except US): **MAT-SUSHITA ELECTRIC INDUSTRIAL CO., LTD.**
[JP/JP]; 1006, Oaza Kadoma, Kadamo-shi, Osaka 571-0050 (JP).(74) Agents: **OGURI, Shohei** et al.; Eikoh Patent Office, 28th Floor, ARK Mori Building, 12-32, Akasaka 1-chome, Minato-ku, Tokyo 107-6028 (JP).

(81) Designated States (national): AU, CN, CZ, KR, US.

(84) Designated States (regional): European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR).

Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments


(72) Inventor; and

(75) Inventor/Applicant (for US only): **WADA, Akihiko**

(88) Date of publication of the international search report:

18 April 2002

[Continued on next page]

(54) Title: **IMAGE DISPLAY METHOD AND PORTABLE TERMINAL FOR DISPLAYING SELECTED IMAGE**

(57) **Abstract:** An image display method for displaying description data having text information and image information described in a predetermined description format. The image display method comprises the steps of extracting attribute values indicating attributes for specifying the image information from the description data (106), listing the extracted attribute values (108, 109), selecting at least one attribute value from among the listed attribute values (111), reading the image information specified by the selected attribute value (112), and displaying the image information (113).

RECEIVED

MAY 17 2002

Technology Center 2600

WO 01/63388 A3



For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

INTERNATIONAL SEARCH REPORT

International Application No

PCT/JP 01/01314

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 G06F17/30

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 G06F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0 949 571 A (XEROX CORP) 13 October 1999 (1999-10-13) page 3, line 9-19 page 5, line 11 -page 6, line 47 page 7, line 12-34 page 7, line 30-34	1-8
A	MA WEI-YING ET AL: "Framework for adaptive content delivery in heterogeneous network environments" HEWLETT PACKARD LABORATORIES, 24 January 2000 (2000-01-24), XP002168331 page 2, paragraph 3.0 -page 4, paragraph 4.0 page 7, paragraph 7.3 -page 8, paragraph 7.5 --- -/--	1-8



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

* Special categories of cited documents :

A document defining the general state of the art which is not considered to be of particular relevance

E earlier document but published on or after the international filing date

L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

O document referring to an oral disclosure, use, exhibition or other means

P document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

& document member of the same patent family

Date of the actual completion of the international search

18 February 2002

Date of mailing of the international search report

25/02/2002

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Correia Martins, F

INTERNATIONAL SEARCH REPORT

International Application No

PCT/JP 01/01314

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	EP 0 967 556 A (HEWLETT PACKARD CO) 29 December 1999 (1999-12-29) column 3, line 3-32 column 4, line 21 -column 5, line 22 -----	1-8

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/JP 01/01314

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 0949571	A	13-10-1999	EP 0949571 A2	13-10-1999
			JP 2000076473 A	14-03-2000
EP 0967556	A	29-12-1999	EP 0967556 A2	29-12-1999
			JP 2000092424 A	31-03-2000